

Alpine

Electric Instantaneous Water Heater

Showers from the Heart



Copper
Class Tank



Anti-Scald
Protection



Overheat
Warning Indicator



5 Year Warranty
on Tank



2 Year Warranty
on Part



2 Year Warranty
on Service



AN ASME-HENSHI ZAOBAO AWARD
新加坡金字品牌奖
Singapore
Prestige
Brand Award 10
Winner, SPBA - Heritage Brands

707® My
Family
Heater

Alpine

Electric Instantaneous Water Heater

Showers from the Heart

Generations have leaned upon the proven performance of the 707 Alpine for the irreplaceable comforts of their daily showers. Built for simplicity and strength, designed and engineered for safety and reliability, the Alpine remains the faithful household heater of choice for families everywhere.



Giving the best we can through
knowledge and understanding
707.com.sg

A deep understanding of your needs means we have every detail carefully considered.



Copper Class Tank

Features a superior copper tank, built to last for reliable performance and comfort.



Pressure Relief Device

Built-up pressure in the heater is automatically released for added protection and safety.



Temperature Flow Control

The perfect shower requires the perfect ratio of water flow for your desired temperature. This smart feature ensures a luxurious experience.



Overheat Warning Indicator

Always keep your family safe, knowing that you'll be alerted in the event water is overheated.



IP25 Splash Proof

The internal circuitry of each heater is isolated by sturdy, splash-proof casing.



Anti-Scald Protection

Our safety system cuts off power when the water temperature rises to scalding level.



Massage Shower Set

Each heater is equipped with a luxurious massage shower set for a luxurious shower experience.



Pledge of Safety

Tested repeatedly for safety and compliance with Singapore Safety Standards. We commit to keep you safe while giving you the luxurious shower experience.

Technical Specifications

707 Alpine Electric Instantaneous Water Heater	
Power Rating	3.3kW, 230V a.c. 50Hz
Rated Pressure	0MPa
Inlet & Outlet Water Connection	1/2" BSP
Minimum Water Flow Rate	3ℓ/min
Recommended Water Flow Rate	4 – 6ℓ/min
Minimum Inlet Water Pressure	0.1MPa
Maximum Inlet Water Pressure	0.3MPa
Recommended Inlet Water Pressure	0.1MPa
Product Dimensions (L x H x W)	220mm x 295mm x 90mm
Product Weight	1.6kg

Packaging Contents

Electric Instantaneous Water Heater
Chrome Massage Shower Set
Instruction Manual


Cheong Hock Guan Water Heater Centre Pte Ltd
60 Paya Lebar Road, #04-17 Paya Lebar Square, Singapore 409051
☎ 6749 8885 ✉ mail@chg.com.sg 🌐 chg.com.sg 🌐 707.com.sg

 facebook.com/707myfamilyheater



Copyright © 2021 Cheong Hock Guan Water Heater Centre Pte Ltd. All rights reserved. Products and specifications may vary due to product improvement purpose.

Made in Singapore



Giving the best we can through
knowledge and understanding
707.com.sg